






**AWK-3131A**

---



Search [X]

Searching for Device [Progress Bar] Retry count = 5, retry interval = 1000 (ms)

Found Devices


No.	Model name	IP address	Device MAC address	Subnet mask
1	AVR310E EU	192.168.1.27	00:0C:29:53:0C:88	255.255.255.0




Wireless Search Utility

File Edit Function Tools Help

Search Search Ex Web Sync Time Locate Internet Assign IP Unlock Upgrade Export Import Refresh

No	Model name	IP address	Device MAC address	Subnet mask	Firmware version	Protocol version
1	AVR310E EU	192.168.1.27	00:0C:29:53:0C:88	255.255.255.0		





MOXA® www.moxa.com »» Complete Solutions for Industrial Wireless Networking

\*\* Please restart or click here to activate configuration changes. \*\*

WLAN Security Settings (Updated)

MOXA® www.moxa.com »» Complete Solutions for Industrial Wireless Networking

\*\* Please restart or click here to activate configuration changes. \*\*

Main Menu

- Overview
- General Setup
- Wireless LAN Setup
- Operation Mode
- WLAN
  - Basic WLAN Setup
  - WLAN Security Settings
  - Advanced WLAN Settings

**Restart**

**!!! Warning !!!**

Click "Restart" to discard configuration changes and restart the system.

Click "Save and Restart" to save configuration changes and restart the system.

MOXA® www.moxa.com »» Complete Solutions for Industrial Wireless Networking

Main Menu

- Overview
- General Setup
- Wireless LAN Setup
- Advanced Setup
- Logs and Notifications
- Status
- Maintenance
- Save Configuration
- Restart
- Logout

**Overview**

This screen displays current active settings

**System Information**

Model name	AWK-3131A-EU
Device name	AWK-3131A_9726
Serial No.	9726
System up time	0 days 05h:49m:24s
Firmware version	1.5 Build 17041601

**Device Information**

Device name	AWK-3131A_9726
IP address	192.168.127.253
Subnet mask	255.255.255.0
Gateway	

**802.11 Information**

Country code	EU
Operation mode	AP
Channel	6
RF type	B/G/N Mixed
Channel width	N/A
SSID	TEST



